

162399

Page 1

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 6/9/2017 **Start Qty:** 4.00

4

Cust Item ID:

Required Date: 6/16/2017 **Req'd Qty:** 4.00

4

Customer:

Reference:

Approvals:

Process Plan:

Date:**Tooling:**

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
1000001								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐			

Work Order ID 162399

162399

Page 2

Tuesday, June 06, 2017 4:57:32 PM

Item ID: D2562-001 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Strut 19.68"
Start Date: 6/9/2017 Start Qty: 4.00 *4* Cust Item ID:
Required Date: 6/16/2017 Req'd Qty: 4.00 *4* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Powdercoat Powder Coating	White Gloss(Ref 4.3.5.2) per OSI005 4.3-Steel <i>M137116</i> Memo START TIME: <i>8:15</i> OVEN TEMPERATURE: <i>400°</i> FINISH TIME: <i>8:45</i>	0.00 0.31							<i>W 6 17-06-2017</i> <i>233</i>
140 *140* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.04							<i>4</i> <i>DAS 38 9-89</i> <i>JUN 20 2017</i>
150 *150* Packaging Packaging	Identify as per dwg & Stock Location <i>57353</i> Memo	0.00 0.04							<i>4</i> <i>DAS 6 9-89</i> <i>JUN 20 2017</i>

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 162399***162399***

Page 3

Item ID: D2562-001

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Strut 19.68"

Stop ***NS2***

Start Date: 6/9/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 6/16/2017 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.40

Quality Control

DAS

21

9-88

JUN 20 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

Picklist Print

Monday, June 05, 2017 4:53:46 PM

Page 91

Work Order ID: 162399

162399

Parent Item: D2562-001

D2562-001

Parent Item Name: Strut 19.68"

Start Date: 6/9/2017

Required Date: 6/16/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP F02.04.15Added dwg Rev.B1 NG

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304TR0.500W.035

Purchased

No

100

f

77.6528

1.7067

7.186105

M304TR0 500W 0.35

**

DAS
30

JUN 20 2017

304 RD Tube .500 x .035W

9-89

Location

Loc Qty

Loc Code

GA

77.652796

m137086

14.025477

m137199

2.300579

m137286

0.02674

m137415

44.9

m137623

16.4

7.2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : _____						
Misidentified ☐	☐	Past Due ☐							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								



DESIGN	CP	DRAWN BY	RF	DART AEROSPACE LTD
CHECKED		APPROVED		HAWKESBURY, ONTARIO, CANADA
DATE	05.05.18	TITLE	STRUT	REV. D
		DRAWING NO.	D2562	SHEET 1 OF 1
				SCALE
A	96.05.01	NEW ISSUE		
B	98.10.15	UPDATED MATERIAL NOTE (TSR A603)		
C	02.06.05	ADD -005; ADD FINISH		
D	05.05.18	ADD -007/-011/-013; UPDATE -005		



PART #	DIM A	DIM B	DIA C	ANG D
D2562-001	19.68	20.48	-	10
D2562-003	20.37	21.17	-	18
D2562-005	29.00	29.80	-	30
D2562-007	19.22	20.02	-	0
D2562-011	25.79	26.59	-	16
D2562-013	26.63	27.43	-	24

RELEASED

06.05.27

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
102344
20170608

GENERAL NOTES

- 1) MATERIAL: AISI 304/316/318 SS 0.500 OD X 0.035 WALL (REF DART SPEC. M304TR0.500W.035) ENSURE SEAMLESS TUBE IS USED
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																																																										
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval																																																																																								
Description Work Order Deviation			Disposition																																																																																									
			Completed By																																																																																									
			Lead hand / Supervisor Approval Verification																																																																																									
			QC / QA Coordinator Approval																																																																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: left;">Root Cause</th> <th colspan="4" style="text-align: left;">FAULT CATEGORY</th> </tr> </thead> <tbody> <tr> <td style="width:10%;">Environment</td><td>☐</td><td style="width:10%;">No Re-verification</td><td style="width:10%;">Pressure/Forced</td><td style="width:10%;">Temperature/Cure</td><td style="width:10%;">Power Loss/Surge</td><td style="width:10%;">Positioned Wrong</td> </tr> <tr> <td>Design</td><td>☐</td><td>Operator</td><td>Bending</td><td>Set-up</td><td>Folio/Program</td><td>Outside Dimensions</td> </tr> <tr> <td>Doc/Data</td><td>☐</td><td>Offset/Setup</td><td>Centre Not Concentric</td><td>BOM/Route</td><td>Grain</td><td>Over/Under tolerance</td> </tr> <tr> <td>Equip/Tooling</td><td>☐</td><td>Supplier</td><td>Cracks</td><td>Broken/Damage/Defect</td><td>Weld</td><td>Part Incorrect</td> </tr> <tr> <td>Handling/Pre</td><td>☐</td><td>Training</td><td>Crimp/Kink/Ripple/Wave</td><td>Inspection Incomplete/Unqualified</td><td>Wrong Stock Pulled</td><td>Part Lost/Missing</td> </tr> <tr> <td>Material</td><td>☐</td><td>Use for Testing</td><td>Cuffs</td><td>Contamination</td><td>Out of Sequence</td><td>Part Moved</td> </tr> <tr> <td>Internal Transport</td><td>☐</td><td>Poor Information</td><td>Crushing</td><td>Countersink</td><td>Off-set</td><td>Drawing</td> </tr> <tr> <td>Tribal Knowledge</td><td>☐</td><td>Rushing</td><td>Heat Treat</td><td>Cut Too Short</td><td>Mislabeled</td><td>Finish</td> </tr> <tr> <td>LOA</td><td>☐</td><td>Product Improvement</td><td>Wave/Twist in Tube</td><td>Instructions Incomplete/Unclear</td><td>Fit/Function</td><td>Misread</td> </tr> <tr> <td>Substation</td><td>☐</td><td>Process Improvement</td><td>Marks/Chatter</td><td>Drill Holes</td><td>Misaligned/off center</td><td>Turning Sequence</td> </tr> <tr> <td>Past Expiry Date</td><td>☐</td><td>Manufacturing Process</td><td colspan="4" rowspan="2" style="text-align: center; vertical-align: top;">OTHER : _____</td> </tr> <tr> <td>Misidentified</td><td>☐</td><td>Past Due</td> </tr> </tbody> </table>						Root Cause			FAULT CATEGORY				Environment	☐	No Re-verification	Pressure/Forced	Temperature/Cure	Power Loss/Surge	Positioned Wrong	Design	☐	Operator	Bending	Set-up	Folio/Program	Outside Dimensions	Doc/Data	☐	Offset/Setup	Centre Not Concentric	BOM/Route	Grain	Over/Under tolerance	Equip/Tooling	☐	Supplier	Cracks	Broken/Damage/Defect	Weld	Part Incorrect	Handling/Pre	☐	Training	Crimp/Kink/Ripple/Wave	Inspection Incomplete/Unqualified	Wrong Stock Pulled	Part Lost/Missing	Material	☐	Use for Testing	Cuffs	Contamination	Out of Sequence	Part Moved	Internal Transport	☐	Poor Information	Crushing	Countersink	Off-set	Drawing	Tribal Knowledge	☐	Rushing	Heat Treat	Cut Too Short	Mislabeled	Finish	LOA	☐	Product Improvement	Wave/Twist in Tube	Instructions Incomplete/Unclear	Fit/Function	Misread	Substation	☐	Process Improvement	Marks/Chatter	Drill Holes	Misaligned/off center	Turning Sequence	Past Expiry Date	☐	Manufacturing Process	OTHER : _____				Misidentified	☐	Past Due
Root Cause			FAULT CATEGORY																																																																																									
Environment	☐	No Re-verification	Pressure/Forced	Temperature/Cure	Power Loss/Surge	Positioned Wrong																																																																																						
Design	☐	Operator	Bending	Set-up	Folio/Program	Outside Dimensions																																																																																						
Doc/Data	☐	Offset/Setup	Centre Not Concentric	BOM/Route	Grain	Over/Under tolerance																																																																																						
Equip/Tooling	☐	Supplier	Cracks	Broken/Damage/Defect	Weld	Part Incorrect																																																																																						
Handling/Pre	☐	Training	Crimp/Kink/Ripple/Wave	Inspection Incomplete/Unqualified	Wrong Stock Pulled	Part Lost/Missing																																																																																						
Material	☐	Use for Testing	Cuffs	Contamination	Out of Sequence	Part Moved																																																																																						
Internal Transport	☐	Poor Information	Crushing	Countersink	Off-set	Drawing																																																																																						
Tribal Knowledge	☐	Rushing	Heat Treat	Cut Too Short	Mislabeled	Finish																																																																																						
LOA	☐	Product Improvement	Wave/Twist in Tube	Instructions Incomplete/Unclear	Fit/Function	Misread																																																																																						
Substation	☐	Process Improvement	Marks/Chatter	Drill Holes	Misaligned/off center	Turning Sequence																																																																																						
Past Expiry Date	☐	Manufacturing Process	OTHER : _____																																																																																									
Misidentified	☐	Past Due																																																																																										